Egyptian Journal of Biological Pest Control

CORRECTION Open Access

Correction to: Genetics, cross-resistance and realized heritability of resistance to acetamiprid in generalist predator, Chrysoperla carnea (Steph.) (Neuroptera: Chrysopidae)

Muhammad M. Mansoor[1,2*] and Sarfraz A. Shad[2*]

Correction to: Egypt J Biol Pest Control (2020) 30:23
https://doi.org/10.1186/s41938-020-0213-x

Following publication of the original article (Mansoor and Shad 2020), the author's flagged that the article had published with two errors.

Firstly, part of the footnote of Table 1 was incorrect.

Secondly, the second author was not detailed as a co-corresponding author.

These errors have been corrected in the original article.

Furthermore, please find the corrected Table 1 and the corrected author list in this correction.

Published online: 04 May 2020

Reference

Mansoor, Shad (2020) Genetics, cross-resistance and realized heritability of resistance to acetamiprid in generalist predator, Chrysoperla carnea (Steph) (Neuroptera: Chrysopidae). Egypt J Biol Pest Control 30:23. https://doi.org/10.1186/s41938-020-0213-x

The original article can be found online at https://doi.org/10.1186/s41938-020-0213-x.

* Correspondence: honeybeepak@gmail.com; sarfrazshad@bzu.edu.pk
The original article can be found online at https://doi.org/10.1186/s41938-020-0213-x
[1]Fatima Sugar Research & Development Centre, Fatima Sugar Mills Ltd, Muzaffargarh, Punjab, Pakistan
[2]Department of Entomology, Faculty of Agricultural Sciences and Technology, Bahauddin Zakariya University, Multan, Punjab, Pakistan

Table 1 Response of various insecticides to Lab-PK, Field, UNSEL and Aceta-SEL populations of *Chrysoperla carnea*

Strain	Insecticide	LC_{50} (95% FL) (μg mL^{-1})	Fit of probit line				N^a	RR^b	RR^c
			Slope (±SE)	χ^2	df	*P*			
Lab-PK (G130)	Acetamiprid	0.72 (0.45-0.95)	2.26 (0.36)	1.48	3	0.86	350	1	
	Spinosad	1.15 (0.94-1.32)	3.21 (0.40)	0.46	3	0.98	350	1	
	Buprofezin	4.27 (3.34-5.10)	2.68 (0.35)	1.88	3	0.51	350	1	
	Pyriproxyfen	5.54 (4.53-6.50)	2.55 (0.30)	4.13	3	0.63	350	1	
Field (G1)	Acetamiprid	1676.07 (1171.58-2867.68)	1.32 (0.26)	1.46	3	0.69	350	2327.87	
	Spinosad	877.29 (607.27-1547.13)	1.31 (0.27)	0.71	3	0.87	350	762.86	
	Buprofezin	113.39 (82.96-160.79)	1.48 (0.26)	5.74	3	0.12	350	26.55	
	Pyriproxyfen	335.77 (274.89- 418.66)	1.68 (0.22)	1.06	3	0.79	350	60.61	
UNSEL (G16)	Acetamiprid	133.10 (111.35-158.30)	2.00 (0.23)	1.72	3	0.63	350	184.86	
	Spinosad	75.40 (57.90-91.26)	2.24 (0.28)	1.52	3	0.68	350	65.56	
	Buprofezin	16.42 (13.68-18.97)	2.94 (0.34)	2.45	3	0.48	350	3.84	
	Pyriproxyfen	162.53 (138.76-186.15)	2.89 (0.30)	3.80	3	0.28	350	29.33	
Aceta-SEL (G16)	Acetamiprid	22370.54 (12089.78-99622.35)	1.25 (0.28)	0.30	3	0.82	350	31070.19	13.34
	Spinosad	1531.44 (953.33-4323.61)	1.12 (0.23)	1.26	3	0.99	350	1331.69	1.75
	Buprofezin	342.52 (221.09-829.50)	1.38 (0.26)	0.92	3	0.74	350	80.21	3.02
	Pyriproxyfen	1322.92 (857.01-3174.71)	1.35 (0.27)	1.62	3	0.65	350	238.79	3.94

[a]N is number of total larvae exposed in bioassay including control
[b]RR resistance ratio, $LC_{50}$of Field or UNSEL or Aceta-SEL / LC_{50} of Lab-PK strain
[c]RR resistance ratio, LC_{50} of Aceta-SEL / LC_{50} of Field strain