

ANNOUNCEMENT

THE CLAY MINERALS SOCIETY welcomes new members from all areas of science and technology. Membership in the Society brings with it a host of benefits and helps the Society disseminate information about the latest advances in research and technology concerning clays and other fine-grained minerals.

- As a member-subscriber you will receive bimonthly a personal copy of the Society's international journal *Clays and Clay Minerals*. Its full-length articles, notes, comments, and book reviews are indexed by subject, author, and title in each December issue for easy reference. Its periodic "special issues" bring to the forefront important areas of research in this increasingly broad and complex interdisciplinary field.
- As a Society member you will also receive a bimonthly newsletter and regular announcements of its annual Clay Minerals Conference, where invited and contributed papers are presented and discussed by clay scientists from around the world.
- As a Society member you will be eligible to purchase at member rates a wide range of publications dealing with clay science.
- As a Society member you will be able to join the Association Internationale pour l'Etude des Argiles (A.I.P.E.A.) at a reduced fee.

JOIN US TODAY by writing for an application and Journal subscription form from the Society Office at the following address:

THE CLAY MINERALS SOCIETY
P.O. BOX 2295
BLOOMINGTON, INDIANA 47402
U.S.A.

ADDITIONAL INFORMATION may be obtained by phoning the Society office at 812-322-9600. Information about publishing in *Clays and Clay Minerals* may be obtained by writing:

DR. F. A. MUMPTON, EDITOR-IN-CHIEF
THE CLAY MINERALS SOCIETY
P.O. BOX 595
CLARKSON, NEW YORK 14430
U.S.A.
716-395-2334

ERRATUM

The standard state chemical potentials of the two Missouri beidellites reported in Table 1 of Sposito (1986) are in error. For the Mg-beidellite, $\mu^{\circ}_{\text{exp}} = -5200$ kJ/mole and $\mu^{\circ}_{\text{calc}} = -5194$ kJ/mole. For the K-beidellite, $\mu^{\circ}_{\text{exp}} = -5215$ kJ/mole and $\mu^{\circ}_{\text{calc}} = -5223$ kJ/mole. These two corrected entries should appear in rows 6 and 7 of the table. The value of μ°_{exp} for Cheto bentonite in the last row of the table should be -5245 kJ/mole.

I thank S. V. Mattigod for drawing my attention to these errors. None of the errors noted above affects any conclusion drawn in the article.

REFERENCE

Sposito, G. (1986) The polymer model of thermochemical clay mineral stability: *Clays & Clay Minerals* **34**, 198-203.