



Weight Bias in Educational Settings: a Systematic Review

Sarah Nutter¹ · Alana Ireland¹ · Angela S. Alberga² · Isabel Brun¹ · Danielle Lefebvre¹ · K. Alix Hayden³ · Shelly Russell-Mayhew¹

Published online: 28 February 2019
© Springer Science+Business Media, LLC, part of Springer Nature 2019

Abstract

Purpose To conduct a systematic literature review of empirical peer-reviewed published studies on the prevalence of weight bias among students, pre-service, and in-service teachers and its impact on the educational experiences and health of students from kindergarten to postsecondary settings.

Methods Keywords were searched on three main concepts, (i) weight bias/stigma, (ii) obesity/overweight, and (iii) education, within eight databases. Our search yielded 8323 individual records, of which 45 studies satisfied our inclusion criteria.

Results Most studies were conducted in K-12 school settings ($n = 41$), were quantitative in design ($n = 37$), and used student samples ($n = 18$). Weight bias is prevalent in educational settings, among peers at school as well as pre-service and in-service teachers, and negatively impacts students' health and educational experiences.

Conclusion These results highlighted the impact of weight bias in creating inequity for students with obesity as well as several underexamined areas, such as weight bias in postsecondary settings and attitudes among teachers and pre-service teachers. Innovative strategies to address weight bias in educational settings are needed.

Keywords Weight bias · Education · Obesity · Wellness · Stigma · Discrimination

This article is part of the Topical Collection on *The Obesity Epidemic: Causes and Consequences*

✉ Sarah Nutter
snutter@ucalgary.ca

Alana Ireland
adirelan@ucalgary.ca

Angela S. Alberga
angela.alberga@concordia.ca

Isabel Brun
ibrun@ucalgary.ca

Danielle Lefebvre
dclfebvr@ucalgary.ca

K. Alix Hayden
ahayden@ucalgary.ca

Shelly Russell-Mayhew
mkrussel@ucalgary.ca

¹ Werklund School of Education, University of Calgary, 2500 University Drive NW, Calgary, AB T3C 0T1, Canada

² Department of Health, Kinesiology, and Applied Physiology, Concordia University, 7141 Sherbrooke Street West, Montreal, QC H4B 1R6, Canada

³ Libraries and Cultural Resources, University of Calgary, 2500 University Drive NW, Calgary, AB T3C 0T1, Canada

Introduction

For over 50 years, researchers have documented weight bias,¹ known as the negative attitudes and beliefs and discrimination toward individuals who live with obesity [1–3]. Weight bias in kindergarten to grade 12 (K-12) schools most often manifests as children and adolescents with obesity being victims of direct forms of aggression such as verbal teasing/bullying (e.g., verbal harassment, name-calling, fat jokes), physical bullying (e.g., hitting, pushing, kicking, shoving), or indirect forms like relational bullying (e.g., social exclusion, being the subject of rumors) due to their body weight [4–6]. For children and adolescents, schools are a common setting for experiences of weight bias, as peers, teachers, and other school professionals can also hold negative attitudes and beliefs about individuals with obesity [4, 7]. Adolescents living with obesity have reported that the school context is the most common place for weight-based teasing to occur [8] and that they are much more likely to be victims of bullying than their counterparts with “normal” weights [9, 10]. In the same period of time that childhood obesity has come to be labeled an epidemic (i.e., the last 40 years), weight bias against children has increased dramatically by 41% [11].

Educational settings have often been seen as important sites to “prevent” or “combat” obesity [12]. However, actions taken in efforts to improve the health of students may be misleading, misguided, and even potentially harmful [12]. Weight bias in schools begins early in childhood and becomes more prevalent in adolescence, with the largest children at the highest risk of being bullied [7] regardless of gender, race, social skills, or academic achievement [13]. The impact of weight bias extends through from grade school to postsecondary educational settings [14]. Being on the receiving end of weight bias has serious psychosocial and physical consequences in children and youth including increased risk of depression, anxiety, social isolation, substance use, suicidal thoughts, poor body image, low self-esteem, unhealthy eating behaviors, binge eating, decreased physical activity, and worsening of obesity [2, 15]. Despite the serious consequences of weight bias, students with obesity have reported that policies intended to create safe environments in educational settings have not been applied or enforced in relation to weight-based discrimination [16]. While weight bias continues to be a problem in educational spaces, the literature on the topic must be synthesized to help guide future interventions, policies, and practices to address weight bias in educational settings.

The purpose of this systematic review was to synthesize the available evidence on the prevalence of weight bias and its

impact on the educational experiences and the health of students in K-12 and postsecondary settings. While similar previous reviews of weight bias literature have been conducted, these reviews have focused on the broad nature of weight bias experienced by children and youth, not limited to an educational setting [17, 18], how children and youth cope with weight bias in physical education settings specifically [19], and associations between childhood obesity and academic achievement [20]. The current review adds to this literature by providing a review of original research specific to the occurrence of weight bias in educational settings, but broadens the review to all educationally based research, rather than research conducted solely within physical education. Specifically, this review aimed to examine (1) the prevalence of weight bias within educational settings, (2) the impact of weight bias within these settings on the health or peer relationships of students, (3) teachers’ or pre-service teachers’ attitudes and beliefs about students with obesity, and (4) weight bias reduction interventions conducted with students, teachers, or pre-service teachers in educational settings.

Method

We followed the systematic review protocol outlined in the *Cochrane Handbook for Systematic Reviews of Interventions* [21]. We report our findings in accordance with the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) [22] statement presented in Fig. 1.

Data Sources

A health sciences librarian (K.A.H.) developed the search strategy based on three main concepts: (i) weight bias/stigma, (ii) obesity/overweight, and (iii) education. Keywords were generated for each of the three main concepts by reviewing subject indexing and key terms, and by reviewing search strategies from similar systematic reviews in weight bias literature [2, 23–25]. The search strategy was pre-tested to ensure that relevant known studies were retrieved. Keywords were the same for each database, and subject headings were determined by the controlled vocabulary for each database. The MEDLINE search strategy can be found in the [Appendix](#).

The search strategy was limited to English and from the publication date of 2000 onwards. Searches were conducted in eight databases (OVID databases: Medline, EMBASE, PsycINFO, Cochrane Central Register of Controlled Trials; and EbscoHost databases: CINAHL SocINDEX, Education Research Complete, ERIC). The initial search was conducted in December 2016, and was updated in May 2018. Studies were included if they were original research articles that aimed to address our research objectives outlined above and were published in English. Commentaries, editorials, literature reviews, letters, conference abstracts, theses, and gray literature

¹ We acknowledge that multiple terms are used in this area of research, including weight-based victimization, weight-based teasing, weight-based bullying, and weight bias. In this paper, our use of weight bias is intended to be an umbrella term for these concepts.




Fig. 1 PRISMA diagram overview selection of studies for review

were excluded. Furthermore, articles were excluded if (i) they examined the effects of an obesity prevention program in schools where weight bias was not measured, (ii) research conducted with school-aged or postsecondary samples that investigated only the prevalence of weight bias as a proxy for the prevalence of weight bias in the general population rather than with the purpose of examining the impact of these attitudes on educational experiences, and/or (iii) the article did not examine educational attainment based on body weight or was not related to weight bias within an educational setting.

The search yielded a total of 13,241 abstracts. After the removal of duplicates ($n = 4918$) and inter-rater training, two authors (S.N. and A.I.) independently screened the remaining 8323 titles/abstracts and reached consensus through discussion, when required. Given the large quantity of records identified through the search, two research assistants (I.B. and D.L.) were recruited and trained to assist with the remaining phases of the screening process. The 207 papers that met the inclusion criteria in the title/abstract screening were then reviewed in full text for eligibility (by S.N. and I.B. or A.I. and D.L.). This phase resulted in 45 articles selected to be included in the review. Working independently, all four reviewers (S.N. and I.B. or A.I. and D.L.) analyzed and summarized the 45 studies, which were verified by S.N. and A.I. for the final inclusion.

Results

Study Characteristics

Study characteristics are described in Table 1. Of the 45 papers included in this review, 18 reported samples of students (i.e., K-12, postsecondary), 16 were samples of teachers, and 11 described samples of pre-service teachers (i.e., postsecondary Bachelor of Education students). Regarding educational settings, 41 papers examined weight bias in the K-12 setting, 3 were conducted in a postsecondary setting, and 1 paper was a retroactive study with adults on past experiences in K-12 physical education (PE). There were 37 quantitative studies and 8 qualitative studies. The majority of studies examined negative attitudes toward students with obesity (i.e., weight bias) and its prevalence among peers, teachers, and pre-service teachers ($n = 28$). The remaining studies examined the impact of weight-based victimization on student well-being ($n = 5$), the effectiveness of weight bias reduction interventions ($n = 6$), students' preferred sources of support for weight bias at school ($n = 2$), teacher behavior toward students with obesity ($n = 2$), and student experiences with weight bias in K-12 physical education (PE) classes ($n = 2$).

K-12 and Postsecondary Student Samples ($n = 18$)

Research with student samples examined the prevalence and impact of weight bias, preferred supports for student victims of weight bias, experiences specific to PE, and a school-based intervention aimed to reduce weight bias among children and adolescents. Papers included in this section represent research that investigated the impact of weight bias on students in a K-12 or postsecondary educational setting.

Prevalence of Weight Bias Eight studies examined the prevalence of weight bias with samples of children and adolescents [7, 14, 26–31]. The results of these studies suggest that children or adolescents with obesity are more likely to be bullied than students without obesity [13, 29] and that students with obesity are likely to experience threats, physical victimization, and social exclusion in addition to weight-based teasing [7, 26]. Among a sample of adolescents with obesity, 71% indicated experiencing weight-based victimization (e.g., teasing) at school within the previous year [30], which is consistent with a sample of adolescent peers, of whom 85–92% reported witnessing weight-based teasing at school [7]. Research examining peer relations and friendship networks demonstrated that, as body weight increases, children and youth are less likely to be identified as friends [27], are perceived as less popular, more sensitive, less attractive, and less athletically skilled [31], and that these differences do not differ for students based on racial or ethnic diversity [28].

Table 1 Characteristics of Studies that Met the Inclusion Criteria

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
Student samples					
[7]	Puhl et al., 2011	Investigated adolescent perceptions and observations of weight-based bullying in school	<i>n</i> = 1555 Grades 9–12	*Observations of weight-based teasing and bullying *Fat Phobia Scale	Observations of weight-based bullying were reported by 85–92% of participants, with 58–69% of participants reporting observing these situations sometimes, often, or very often. The most common types of bullying reported were teasing, name-calling, and teasing during physical activity. Other types of bullying reported were avoidance, teasing in the cafeteria, exclusion from social activities, and being the target of rumors
[8]	Puhl and Luedicke, 2012	Examined how adolescents cope with weight-based teasing at school	<i>n</i> = 394 Grades 9–12	Participants responded to items querying: *BMI *Teasing and bullying incidents *Bullying locations *Affective responses to bullying *Coping strategies *School responses to bullying	40–50% of students who reported weight-based bullying indicated it makes them feel sad, depressed, angry, and negative about their body. Girls reported a significantly more negative affect in response to weight-based teasing (vs. boys). Weight teasing in PE was associated with avoidance coping strategies among girls (but not boys)
[13]	Lumeng et al., 2010	Examined relationship between obesity and being bullied	<i>n</i> = 821 Grades 3, 5, 6	*BMI *Perceptions of Peer Support Scale	Children with obesity were more likely to be bullied
[26]	Bacchini et al., 2015	Investigated associations between BMI and types of bullying victimization	<i>n</i> = 947 Ages 6–14	*Body mass index (BMI) *Revised Olweus Bully/Victim Questionnaire	Chi-square analyses revealed that participants with severe obesity were more frequently involved in bullying and received multiple types of victimization (e.g., physical, social exclusion, teasing, name-calling)
[27]	Crosnoe et al., 2008	Examined the role of body size in social networks	<i>n</i> = 2728 Grades 7–12	*10 friendship nominations *BMI	As BMI increased, the likelihood of receiving friendship nominations decreased, especially for girls
[28]	Cunningham et al., 2012	Influence of race/ethnicity on peer relationships of youth with obesity	<i>n</i> = 10,723 Grades 7–12	*10 friendship nominations *BMI	Participants with obesity were selected as a friend less often (vs. youth without obesity), with no racial/ethnic differences
[29]	Kahle and Peguero, 2017	Investigated how gender, race, ethnicity, and weight related to school bullying	<i>n</i> = 7142 Grades 6–10	Participants responded to items querying: *Perceived classmate support *Bullying experiences *BMI *Race/Ethnicity	Female participants with overweight/obesity were more likely to experience bullying. Male participants with underweight or overweight/obesity were more likely to experience bullying
[30]	Puhl et al., 2013	Investigated the settings and forms of weight bullying	<i>n</i> = 361 Ages 14–18	Participants responded to items querying: *BMI *Experiences with weight bullying	Most participants (71%) reported weight bullying at school at least “sometimes” in the last year. Participants reported weight bullying by peers and friends most commonly. Frequently reported types of bullying were verbal, relational, cyberbullying, and text messages, with physical bullying reported least often. Most common settings included peer groups, classrooms,

Table 1 (continued)

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
[31]	Zeller et al., 2008	Examined peer relationships of students with obesity	<i>n</i> = 90 Ages 8–16	Child ratings of: *Liking of classmates *Best friend nominations *Behavioral reputation	hallways, cafeteria, and PE settings Children with obesity were nominated as a best friend less often, were described as more sensitive, isolated, athletic, and less attractive, and displayed less leadership (vs. children without obesity)
[32]	Lampard et al., 2014	Examined the consequences of weight-based teasing at school	<i>n</i> = 2793 Grades 6–12	Participants responded to items querying: *Weight teasing *Self-esteem *Depression *Body dissatisfaction *Weight control behaviors	Approximately one-fourth of participants reported weight-related teasing at school. Teasing at school was associated with lower self-esteem and greater body dissatisfaction in girls, and greater depressive symptoms in boys
[33]	Li and Rukavina, 2012	Explored the nature of weight-related teasing in PE programs	<i>n</i> = 47 Ages 11–19	*Qualitative interviews	Participants reported experiencing multiple forms of weight teasing in PE classes. Participants indicated they felt hurt and that teachers lacked awareness of weight-related teasing
[34]	Li et al., 2012	Investigated adolescent coping strategies for weight-based teasing	<i>n</i> = 47 Age 11–19	*Qualitative interviews	Participants reported using multiple strategies to deal with weight teasing, including self-protection, compensation, confrontation, seeking social support, avoidance/psychological disengagement, losing weight, and stress reduction
[35•]	Phelan et al., 2015	Assessed the relationship between internalized weight bias and stress-related factors	<i>n</i> = 4732 First-year medical students from 49 US schools	*Weight Implicit Associations Test (IAT) or the IAT for another stigmatized group *State Self-Esteem Scale *Physical health fatigue *Study Social Support Survey *Brief COPE measure *Anti-Fat Attitudes Scale *Everyday Discrimination Scale	Students with overweight/obesity reported poorer overall health, body esteem, and loneliness, and were more likely to use alcohol or drugs to cope with stress. Female students with overweight/obesity had significantly worse social support (vs. male and female students without overweight/obesity)
[36]	Haines et al., 2007	Examined weight-related issues affecting students and identified strategies to address issues at a school level	<i>n</i> = 54 21 grade 4–6 students, 12 school staff, 21 parents	*Focus groups *Qualitative interviews	Participants identified weight-related teasing and body dissatisfaction as important issues and that prevention programs need to address weight bias. Multiple specific recommendations for school staff were provided
[37]	Puhl et al., 2013	Explored students' preferred bullying intervention strategies	<i>n</i> = 361 Ages 14–18	Participants responded to items querying: *Experiences with weight bullying at school *Preferences for responses to weight bullying *Perceived social support *Focus groups	64% of participants reported past experiences with weight bullying. Participants indicated bullying intervention, in order of preference, as being by friends, peers, teachers, PE teachers/coaches, and parents
[38]	Wiltshire et al., 2017	Investigated peer influence on PE	<i>n</i> = 29 Ages 13–14	*Focus groups	Participants believed having overweight/obesity is associated with health risks and social risks. Participants indicated engaging in efforts to build social capital, including engaging in exercise to burn calories
[39]			15 adults	*Retroactive qualitative interviews	

Table 1 (continued)

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
	Sykes and McPhail, 2008	Explored experiences with PE for individuals who have identified as overweight/obese			Participants described experiences with PE impaired body acceptance and were among the most explicit experiences with weight stigma in their lives
[40]	Haines et al., 2006	Evaluated the effectiveness of a weight-based teasing intervention	$n = 120$ Grades 4–6	Intervention: Two schools assessed; one received the multi-faceted intervention with individual, environment, and family components *Teasing by others *Body Satisfaction Scale *Thin-ideal internalization *Unhealthy weight control behaviors	The percentage of participants who reported being teased decreased 10% in the intervention school, with no differences in body satisfaction, thin-ideal internalization, and unhealthy weight control behaviors
Teacher samples					
[14]	Burmeister et al., 2013	Impact of weight bias in graduate school admissions	97 psychology graduate applicants, ($M_{age} = 25.35$)	*BMI *Graduate Record Examination scores *Grade Point Average *Coded letters of recommendations	Higher BMI was associated with fewer post-interview offers of admission, particularly for female applicants
[41]	Fontana et al., 2013	Examined PE teacher/pre-service teacher attitudes toward students with obesity	$n = 196$ 47 PE teachers ($M_{age} = 37.07$) 149 PE pre-service teachers ($M_{age} = 21.15$)	*Anti-Fat Attitude Scale *Perception of Obese Students by Physical Education Teachers Questionnaire *Weight IAT	Results suggested no explicit weight bias from self-report questionnaires, but strong implicit weight bias
[42]	Fontana et al., 2017	Evaluated PE faculty attitudes toward PE postsecondary students	94 PE faculty members ($M_{age} = 47.83$)	*Weight IAT *Anti-Fat Attitudes Scale *Perceptions of educators with obesity	Participants had positive attitudes toward accepting postsecondary students with obesity to PE programs, but did not believe they were positive role models for children and youth. Weight bias was associated with stronger disapproval of PE teachers with obesity
[43]	Greenleaf and Weiller, 2005	Examined weight bias in PE teachers, perceptions of performance ability, and problems of youth with obesity	105 PE teachers ($M_{age} = 42.38$)	*Anti-Fat Attitudes Scale *Perceptions of youth with obesity *Physical Education Questionnaire	Results indicated moderate weight bias, higher expectations for students without obesity (vs. with obesity), and strong endorsement of obesity as a concern that schools should be involved in
[44]	Kenney et al., 2015	Investigated relationship between child weight gain and perceptions of academic ability	Teacher ratings of 3362 students, grades 5–8	*BMI over time *Standardized reading and math scores *Teacher ratings of reading and math	Increasing BMI from grades 5–8 was associated with a significant decrease in teacher ratings of reading ability (for girls) and math ability (for boys)
[45]	Kenney et al., 2017	Examined teacher perceptions of the academic challenges of students with obesity	22 teachers	*Qualitative interviews	Teachers believed that students with obesity are likely to experience academic difficulties, due to low self-esteem, poor nutrition, increased screen time, and decreased activity
[46]	Lau et al., 2018	Assessed weight bias of teachers	$n = 200$ Ages 23–60, 100 PE teachers, 100 non-PE teachers	*Weight IAT	Younger participants and male participants, as well as PE teachers, had stronger implicit weight bias
[47]	Martinez-Lopez et al., 2017	Examined PE teachers perceived self-efficacy toward including students with overweight/obesity	471 PE teachers, ages 21–63	*Self-Efficacy Questionnaire *Perceptions of youth obesity *Physical Education Questionnaire	Participants with higher perceived self-efficacy were more sensitive to the needs of students with overweight/obesity and held less bias toward them

Table 1 (continued)

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
[48]	Peterson et al., 2012	Investigated PE teacher expectations of abilities of students with obesity	162 PE teachers and coaches	Participants responded to items querying: *Performance expectations *Ability expectations *Attributions for performance/ability *Fat Phobia Scale	Participants expected students without overweight to have higher abilities than students with overweight. Participants attributed the lack of physical activity and poor eating habits as contributing to physical ability differences for female students, but not for male students. Participants associated more positive adjectives to students without overweight (vs. with overweight)
[49•]	Puhl et al., 2016	Explored educator perspectives related to weight bullying policies in schools	240 educators ($M_{age} = 45.17$)	Responded to items querying: *Support for policies to address weight bullying and eating disorders *Perspectives about weight bullying *Perspectives about eating behaviors	Participants indicated that weight bullying and disordered eating were problems at their schools and support improved prevention and intervention efforts
[50]	Shackleton and Campbell, 2014	Investigated teacher perceptions of student ability	3113 clusters of teacher ratings of students for math and reading at student age 7	*Teachers' ratings of math and reading abilities *BMI *British Ability Word Reading Test	After controlling for cognitive test scores, children without obesity were significantly more likely to be rated as having above-average ability in reading (vs. children with obesity)
[51]	Wilson et al., 2015	Explored teachers' perceptions of children with obesity vs. asthma	140 teachers	Health Conditions Attitude Questionnaire (for obesity and asthma)	Findings suggested that teachers believed children have control over their body weight, that children would use their weight as an excuse in the classroom, and that children with asthma have higher peer acceptance (vs. children with obesity)
[52]	Doolittle et al., 2016	Explored PE teachers' perspectives on students with obesity in PE	9 PE teachers	*Qualitative interviews	Three themes emerged related to students with obesity: (1) being different, (2) having specific concerns related to PE, and (3) being a challenge and responsibility to PE teachers
[53]	Peterson et al., 2012	Examined how a student's weight and gender impact PE teacher responses to bullying	162 PE teachers and coaches	*Fat Phobia Scale	Participants who viewed a photo of a female student were more likely to intervene for relational bullying when the victim had overweight (vs. without overweight). There were no significant differences in the likelihood of responding to bullying for participants who viewed a photo of a male student
[54]	Hague and White, 2005	Evaluated the effectiveness of a Web-based weight bias intervention	258 in-service and pre-service teachers ($M_{age} = 26.8$)	Intervention included information on the multiple factors of obesity *Anti-Fat Attitudes Test	Weight bias decreased in the intervention group (vs. control group) between pre-test and posttest/follow-up
[55]	McVey et al., 2009	Evaluated the effectiveness of a Web-based weight bias intervention	$n = 167$ 78 teachers, 89 public health practitioners	Intervention: Information about factors that influence body image and strategies to address weight bias in schools Participants responded to items querying knowledge and efficacy to address weight bias	The results indicated that the intervention improved participants' knowledge related to content, and that public health practitioners experienced an increase in perceived efficacy to address weight bias in schools. Participants also reported increased awareness about how

Table 1 (continued)

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
					weight bias influences their teaching practices and the impact of these practices on student body image
Pre-service teacher samples					
[56]	Glock et al., 2016	Examined implicit weight bias, explicit weight bias, and motivation to respond without prejudice	51 pre-service teachers ($M_{age} = 21.12$)	*Implicit Priming Task *Attitudes toward Obesity and Overweight Persons Questionnaire *Internal and External Motivation to Respond without Prejudice Scale	Results suggested a pro-thin implicit bias and explicit dislike of students with obesity as well as fear of fat. Participants perceived greater academic achievement in students with obesity, and had strong motivation to respond without prejudice
[57]	Greenleaf et al., 2008	Investigated students' weight bias, perceptions of the schools' role in addressing obesity	$n = 430$ 212 PE pre-service teachers, 218 non-PE pre-service teachers, ages 18–45	*Modified Fat Stereotypes Questionnaire *Perceptions of Physical Education Questionnaire	Findings indicated that most participants (83%) endorsed weight stereotypes. PE specialists rated students being normal weight as more important (vs. non-PE specialists). Stronger endorsement of weight stereotypes was associated with belief that PE teachers should educate parents on childhood obesity
[58]	Lynagh et al., 2015	Assessed the weight bias of pre-service PE-specialist and non-specialist teachers	$n = 239$ 177 non-specialist pre-service teachers 62 PE specialist pre-service teachers	*Weight IAT *Anti-Fat Attitudes Questionnaire *Beliefs about Obese People Scale *Perceptions of Youth Obesity Physical Education Questionnaire *Expectations of Overweight Youth Questionnaire	All participants reported strong implicit weight bias, moderate explicit weight bias, and beliefs that children with obesity are unhealthy. PE specialist pre-service teachers had significantly lower expectations for children with obesity (vs. non-specialist pre-service teachers)
[59]	Muller et al., 2017	Investigated the influence of student weight on perceptions of academic performance	57 pre-service teachers Ages 17–35	Participants responded to items querying: *Academic performance *Reading competency *Social skills	Participants regarded students with obesity as performing better academically (vs. students without obesity), but did not differ on perceived social skills for students with and without obesity
[60]	O'Brien et al., 2007	Examined weight bias among PE students	$n = 344$ 180 years 1 and 3 PE preservice teachers ($M_{age} = 18.68$ and 21.6) 164 years 1 and 3 undergraduate students ($M_{age} = 18.49$ and 21.8)	*Anti-Fat Attitudes Scale *Weight IAT *Body Esteem Scale *Physical Identity *Social Dominance Orientation Scale	PE students rated physical identity as more important, had greater implicit weight bias, and had higher scores on the Willpower subscale of the Anti-Fat Attitudes Scale (vs. psychology students)
[61]	Readdy and Wallhead, 2016	Examined weight bias among pre-service teachers and the impact of attitudes on feedback to students	18 pre-service teachers ($M_{age} = 23.6$)	*Weight IAT *Anti-Fat Attitudes Scale *Coded classroom observations	Participants with strong implicit weight bias gave more feedback to students (vs. participants with moderate/low implicit weight bias). Participants with moderate weight bias provided less specific feedback to students with overweight (vs. participants with high/low weight bias)
[62]	Tkachuk and Russell-Mayhew, 2017	Investigated pre-service teachers beliefs about health and weight-related issues	226 pre-service teachers, ages 21–45	*BMI *Body Satisfaction Scale *Health promotive behaviors *Weight control behaviors *Weight IAT *Healthy Lifestyle for University Students	Findings suggested that many participants had concerns regarding their body weight and shape as well as weight bias
[63]				*Qualitative interviews	

Table 1 (continued)

Ref. No.	Authors	Study purpose	Sample	Methods/measures	Summary of findings
	Varea and Underwood, 2016	Explored weight bias among PE pre-service teachers	14 pre-service teachers, ages 18–26		Themes emerged whereby participants believed weight is an indicator of health, is an individual responsibility, is controllable, and that it is dangerous to normalize overweight/obesity. Participants expressed a desire to help students with overweight/obesity, regardless of whether or not their help is sought
[64]	Russell-Mayhew et al., 2012	Assessed the effectiveness of an intervention targeting weight-related attitudes and beliefs	14 pre-service PE teachers	Intervention: 3-h educational workshop *Body Satisfaction Scale *Eating Attitudes Test *Sociocultural Attitudes Towards Appearance Questionnaire *Weight control behaviors *Written qualitative feedback	A decrease in disordered eating attitudes pre-to-post intervention. Qualitative analyses of participant responses indicated an increased awareness of weight-related issues and concerns related to incorporating information into PE instruction
[64]	Russell-Mayhew et al., 2015	Assessed the effectiveness of an intervention targeting weight-related attitudes and beliefs	30 pre-service elementary teachers	Intervention: 3-h educational workshop *Weight IAT *Body Satisfaction Scale *Anti-Fat Attitudes Scale *Eating Attitudes Test *Teaching self-efficacy	A significant decrease in implicit and explicit weight bias following the intervention, an increase in body satisfaction, and an increase in self-efficacy to address weight-related issues
[65]	Tingstrom and Nagel, 2017	Examined the impact of a brief obesity awareness intervention on weight bias	50 pre-service PE teachers ($M_{age} = 24$)	Participants were assigned to an intervention or control group *Anti-Fat Attitudes Scale *Expectations and Abilities Questionnaire	Results suggested that participants in the intervention group had significantly decreased weight bias following the 1-h intervention

Sample population ages and grades were provided, when possible

Impact of Weight Bias on Students' Health and Well-being

Five studies investigated the impact of weight-based victimization on students with regard to physical and psychological well-being [8, 32–34, 35]. Results from these studies indicated that, within K-12 schools, children and adolescents who experienced weight-based teasing felt self-conscious, angry, and unappreciated by their peers as well as had low self-esteem and increased symptoms of depression compared to peers who were not teased for their weight [8, 32, 33]. Weight-based victimization was also associated with a variety of positive (e.g., seeking social support, utilization of stress reduction strategies) and negative (e.g., disengagement, avoidance, confrontation) coping strategies [34] in these settings. Within postsecondary education, a sample of medical students with overweight/obesity who perceived experiences of weight discrimination reported lower overall health, lower body esteem, and greater loneliness, and were more likely to report using drugs or alcohol as a coping strategy compared to medical students without overweight/obesity [35].

Weight-Based Victimization Support Two studies examined children and youth preferences for support related to weight-

based victimization [36, 37]. In a study about preferred sources of support, youth indicated they would most want their friends to intervene (66%), followed by their peers (58%), teachers (55%), physical education teachers (44%), and parents (43%) [37]. Another study examined the perspectives of children, school staff, and parents to identify school-based support strategies, including creating a school environment that (1) discourages bullying, and promotes (2) social support, (3) self-esteem, and (4) healthy eating and regular physical activity for children of all sizes [36].

Experiences with Weight Bias in K-12 Physical Education Two papers examined the impact of weight bias on experiences within PE in K-12 schools. Wiltshire, Lee, and Evans' [38] qualitative study found that students did not want to “stand out as the bigger one” (p. 553) and that their engagement was dependent upon physical ability. Students with obesity who were regarded as good at sports, by self or others, engaged in activity at school, while those not regarded as good at sports did not [38]. One study retrospectively investigated childhood experiences of PE among a sample of adults who identified as having overweight/obesity [39]. Qualitative interviews were

conducted with 15 adults, from which themes emerged related to participant's perceived inability to form positive relationships with their bodies in PE, as well as experiences of shame associated with public weighing in PE classes.

Student Weight Bias Reduction Intervention One study investigated the effects of a weight bias reduction intervention conducted among a sample of grade 4–6 students aimed at preventing weight-based teasing as well as unhealthy weight-control behaviors [40]. This multi-faceted intervention included an after-school program and theater program, as well as school and family environment components, and led to decreased reports of weight-based teasing among students.

Teacher ($n = 16$) and Pre-Service Teacher ($n = 11$) Samples

Papers included in this section are comprised of samples of both currently practicing (i.e., in-service) as well as pre-service teachers. Although pre-service teachers are also postsecondary students, they were examined in their capacity as future teachers (e.g., attitudes toward students, perceptions of student ability). Thus, these studies are presented alongside investigations of currently practicing teachers in relation to weight bias. Research with teachers and pre-service teachers examined attitudes and behaviors toward students with obesity generally as well as specific to perceptions of academic ability. A few studies tested interventions aimed at reducing weight bias of current and future teachers.

Teacher Attitudes Twelve studies investigated teacher attitudes toward students with obesity, their perceptions of student ability, or their attitudes toward weight-related bullying policies [14, 41–43, 44•, 45, 46–48, 49•, 50, 51]. Results from these studies indicated the presence of explicit and implicit weight bias among non-specialist as well as PE teachers [41, 46], as well as the belief that children with obesity are a burden and have control over their body weight [51]. Martinez-Lopez et al. [47] found that teachers having higher perceived self-efficacy in fostering participation among students with overweight/obesity also had more positive attitudes toward these students. Despite evidence of weight bias among teachers, Puhl et al. [49] found that teachers recognized weight-based bullying as an issue and supported bullying-prevention and intervention policies.

Researchers examining the influence of obesity on teacher's perceptions of academic ability found that teachers rated children with normal weight as having above-average abilities [50] whereas students with obesity were more likely to be perceived as having academic challenges [45]. Researchers also found that girls with obesity were perceived as having lower reading ability while boys with obesity were perceived as having lower math ability [44•]. Researchers also

found that PE teachers had lower physical expectations for students with overweight/obesity [43] and perceived them to have poorer physical abilities [48]. Finally, researchers have looked at the influence of weight bias in a postsecondary setting. In an experimental investigation of the impact of body weight on graduate school admission decisions by faculty members, researchers found that having a high BMI was associated with fewer offers of admission, especially among female applicants [14]. In another study, PE faculty members indicated a willingness to have students with obesity within their program, but did not believe that a physical educator with obesity would be a positive role model for students [42].

Teacher Behavior Two studies investigated classroom behavior or behavioral intentions toward students with obesity [52, 53]. After engaging in field observations and interviews with PE teachers, researchers observed that students with overweight were regarded as different, were provided with individualized goals, and were perceived as a challenge to teachers [52]. In an experimental investigation, it was found that PE teachers were more likely to intervene in an instance of bullying for a female student with overweight compared to a female student without overweight, and that there were no differences in likelihood of intervention for male students [53].

Pre-Service Teacher Attitudes Eight studies investigated attitudes of pre-service teachers toward child or adolescent students with obesity [56–63]. Studies with both a general sample of pre-service teachers [56, 62] and samples of PE pre-service teachers [49•, 63] have reported implicit and explicit weight bias in these samples. In qualitative research, PE pre-service teachers described the belief that weight is a proxy for health, that body weight is within individual control, and indicated a desire to assist students with obesity with weight loss [63]. When comparing the attitudes of PE pre-service teachers with non-specialist pre-service teachers or non-education postsecondary students, researchers have found that weight bias exists among all samples, but that pre-service teachers with a PE specialty display higher weight bias compared to non-PE teachers [57] or non-education postsecondary students [60] as well as significantly lower expectations for students with obesity [58]. Muller et al. [59] conducted an experimental investigation of the impact of information related to weight on the judgments of 57 pre-service teachers about students' academic and social skills. Contrary to previous research, the results of this study suggested that pre-service teachers perceived children and youth with overweight as having better academic skills than non-overweight students and similar social skills as non-overweight students [59].

Intervention Research Five studies reported on the results of weight bias reduction interventions, three with pre-service teachers [64–66], one with a mixed sample of pre-service

and in-service teachers [54], and one with a sample of teachers and health professionals [55]. After receiving a 3-h intervention, pre-service teachers specializing in PE reported an increased awareness of weight bias, but were concerned with how to incorporate information about body image into their instruction [66]. After a similar 3-h intervention, elementary specialist pre-service teachers reported a significant decrease in both implicit and explicit weight bias as well as a significant increase in perceived self-efficacy in addressing weight-related content in their instruction [64]. In another sample of pre-service teachers, Tingstrom and Nagel [65] conducted a 1-h intervention that included information about environmental influences on weight, weight bias, and positive teaching strategies, which corresponded to a significant decrease in explicit weight bias. Following an online module promoting body size acceptance, pre-service students and teachers both reported a decrease in explicit weight bias [54]. Finally, among a sample of teachers and health professionals, participants taking part in an intervention promoting a view of health as occurring at any body size improved their awareness of weight bias and improved self-efficacy to address weight bias in schools [55].

Discussion

Weight bias in educational settings has the potential to significantly impact individuals' well-being and educational experiences. The studies reviewed herein reinforce the existence of weight bias within educational settings among children, adolescents, and teachers as well as among future teachers. Specifically, our review showed that students in K-12 schools frequently experience weight bias in multiple forms from peers in all spaces within schools. In samples of teachers and pre-service teachers, our review showed that negative attitudes toward students with obesity are pervasive and negatively impact perceptions of student ability. While emerging, intervention research has provided positive results among samples of K-12 students, teachers, and pre-service teachers.

Future Research Directions

The results of this review highlight a need for researchers to place greater emphasis on expanding weight bias research in several underexamined areas. Weight bias with pre-service and in-service teacher populations is well established as well as within the K-12 student population. However, more evidence that weight bias is carried from the K-12 settings into the educational experiences of postsecondary students is needed. More knowledge on the factors that impact weight bias in teachers in general, as well as PE teachers specifically, is necessary to better understand the nature of weight bias in these populations [51]. A better understanding of weight bias

among teachers will provide the opportunity for more effective weight bias reduction interventions to be developed for this population. Additionally, although the incidence of weight bias among students is well established, more research is needed to understand potential contributing factors to weight bias in educational settings (e.g., BMI screenings [67]) and obesity prevention programs in schools [68].

Our review indicated a lack of research examining weight bias reduction interventions with students, teachers, and pre-service teachers, with existing research limited to small sample sizes. Addressing weight bias in K-12 and postsecondary educational settings brings with it unique challenges, such as creating developmentally appropriate interventions that can be implemented to meet multiple needs (i.e., curricula) within the limitations of existing policies and practices (i.e., school bullying legislation). In addition, interventions may be most effective when they are tailored to the institution in which they are implemented, meaning additional research needs to investigate how efforts might be individualized to meet the needs of a variety of different settings. Finally, interventions are most likely to be successful if they enlist the support of various stakeholders (i.e., adolescents who live with obesity) by employing a community-based, student-oriented research approach [69].

Finally, our review highlighted methodological limitations of research in this area. The majority of research conducted to date has been with cross-sectional samples with descriptive, correlational, or qualitative data. While these studies have provided valuable information regarding the impact of weight bias on the educational experiences of students, an increase in experimental and/or longitudinal research will help investigate educational disparities experienced by students with obesity. Further, most studies have primarily white participants and research with more diverse samples is needed to develop a better understanding of how weight bias impacts the educational experiences of students from various racial, ethnic, and other diverse backgrounds.

Limitations

Although this review highlighted the impact of weight bias in educational settings, not all aspects of weight bias or weight-related issues were captured. For example, this review did not examine differences in academic achievement based on body weight, which has been examined in a previous review [20]. Future research should examine if negative attitudes toward students with obesity influence educational attainment and contribute to inequity over time in educational settings. This review also did not examine variables that could be related to weight bias such as the impact of thin-ideal internalization, disordered eating practices, and other weight-related attitudes, which have been shown

to negatively impact the educational experiences of students of all sizes [70].

Conclusion

It is important to gain a greater understanding of the occurrence and impacts of weight bias in educational settings in the short and long term, and the factors that contribute to and sustain weight bias among students and teachers, as well as interventions to reduce or prevent it. Further research in this area will continue to establish weight bias as a social justice issue to be addressed within educational settings [71]. Reducing weight bias is critical to creating educational environments wherein students and teachers of all sizes are embraced and experience equitable treatment necessary for success.

Acknowledgements SN is currently funded by a Doctoral Research Award from the Social Sciences and Humanities Research Council at the University of Calgary. ASA acknowledges support from her Chercheur Boursier Junior 1 Award (no. 35277) from les Fonds de Recherche du Québec- Santé at Concordia University, Montreal, Quebec, as well as Banting Postdoctoral Fellowship Award from the Canadian Institutes of Health Research.

Compliance with Ethical Standards

Conflict of Interest Sarah Nutter, Alana Ireland, Angela S. Alberga, Isabel Brun, Danielle Lefebvre, K. Alix Hayden, and Shelly Russell-Mayhew declare they have no conflict of interest.

Human and Animal Rights and Informed Consent This article does not contain any studies with human or animal subjects performed by any of the authors.

Appendix

Table 2 Weight bias in educational settings: MEDLINE Search Strategy. Database(s): Epub Ahead of Print, In-Process and Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R) 1946 to December 2016

Concepts	No. Searches	Results	Annotations
Weight bias/stigma	1 Weightism.mp.	2	<ul style="list-style-type: none"> • Search uses <i>MP</i> for sensitivity, searching more broadly for the keyword • Search uses <i>TW</i> for specificity of search for keywords that may result in less precision if searched in <i>MP</i> (all) fields - <i>TW</i> = title/abstract • <i>ADJ</i> (adjacency) searches for words adjacent to each other (proximity searching), in either direction. Expands keyword search • Subject headings are used for each concept, indicated by <i>a/at</i> the end of the search phrase - For each subject heading, the tree (subject heading hierarchy) was explored to determine whether or not to explode the subject heading (i.e., include narrower terms) -For sensitivity, a majority of subject headings were not exploded
	2 (weight adj2 stigma*).mp.	228	
	3 (weight adj2 bias*).mp.	328	
	4 (weight adj2 discriminat*).mp.	193	
	5 (weight adj2 stereotyp*).mp.	29	
	6 (weight adj2 perception).mp.	1152	
	7 (obesity adj2 stereotyp*).mp.	23	
	8 (obesity adj2 discriminat*).mp.	45	
	9 (obesity adj2 stigma*).mp.	146	
	10 (obesity adj2 bias*).mp.	75	
	11 (weight adj2 teas*).mp.	161	
	12 fat phobia*.mp.	61	
	13 anti-fat.mp.	115	
	14 (body adj2 stigma*).mp.	51	
	15 anti-obesity.mp.	5835	
	16 bmi report card*.mp.	10	
	17 bmi screen*.mp.	90	
	18 bmi surveillanc*.mp.	16	
	19 social stigma*.tw.	1428	
	20 prejudice*.tw.	4993	
	21 bullying.tw.	3616	
	22 stigma*.tw.	27,465	
	23 (Negative adj2 stereotyp*).mp.	822	
	24 (Negative adj2 attitude*).mp.	5489	
	25 (negative adj2 perception*).mp.	2139	
	26 social perception*.tw.	1038	
	27 Ostraci*.tw.	492	
	28 harassment.tw.	2677	
	29 social exclusion.tw.	1240	
	30 fatness.mp.	3938	
	31 body shape.mp.	2489	
	32 victimiz*.mp.	7172	
	33 victimis*.mp.	488	
	34 teasing.mp.	1090	
	35 tease.mp.	951	
	36 teased.mp.	1002	
	37 discrimination.tw.	99,852	
	38 intolerance.tw.	29,733	

Table 2 (continued)

Concepts	No.	Searches	Results	Annotations
Overweight/obesity	39	Prejudice/	25,785	
	40	social stigma/	4325	
	41	stereotyping/	10,603	
	42	shame/	2016	
	43	Bullying/	2376	
	44	Social Perception/	21,475	
	45	exp Social Isolation/	16,168	
	46	Weight Perception/	660	
	47	or/1–46	252,659	
	48	underweight.tw.	8431	
	49	overweight.tw.	57,140	
	50	obese.tw.	110,383	
	51	obesity.tw.	198,810	
	52	thinness.tw.	2245	
	53	body mass index.tw.	150,522	
	54	bmi.tw.	113,835	
	55	body weight.tw.	180,204	
	56	Obesity/	165,854	
	57	Obesity, Morbid/	15,113	
	58	Body Weight/	184,563	
	59	Overweight/	20,203	
	60	Pediatric Obesity/	3806	
	61	body mass index/	112,889	
	62	Thinness/	5227	
Education	63	or/48–62	706,284	
	64	peer*.tw.	69,281	• Keywords and subject headings for children/adolescents were not searched as, when included, the search results became very large, and when reviewed, largely irrelevant
	65	student*.tw.	230,703	
	66	teacher*.tw.	39,047	
	67	professor*.tw.	26,819	
	68	instructor*.tw.	6726	
	69	educator*.tw.	23,468	
	70	college*.tw.	97,956	
	71	university.tw.	290,704	
	72	faculty.tw.	38,571	
	73	educational institution.tw.	320	
	74	graduate school*.tw.	998	
	75	classroom*.tw.	13,805	
	76	elementary.tw.	23,315	
	77	middle school*.tw.	4889	
	78	junior high.tw.	2244	
	79	high school*.tw.	27,950	
	80	kindergarten*.tw.	5689	
	81	k-12.tw.	8811	
	82	k-16.tw.	166	
	83	higher education.tw.	9497	
	84	post secondary.tw.	535	
	85	pupil*.tw.	25,933	
	86	postsecondary.tw.	753	
	87	education.tw.	374,387	
	88	preschool*.tw.	25,017	
	89	school*.tw.	247,895	
	90	grade.tw.	275,359	
	91	grades.tw.	46,213	
	92	exp Peer Group/	18,637	
	93	Education/	20,865	
	94	Education, Graduate/	5363	
	95	exp Schools, Nursery/	1477	
	96	Students/	47,590	
97	Teaching/	47,158		
98	Schools/	32,433		
99	Universities/	36,034		
100	or/64–99	1,461,730		
Combining 3 concepts	101	47 and 63 and 100	2812	
English limit	102	Limit 101 to english language	2660	
Year limit	103	Limit 102 to yr. = "2000 -Current"	2363	
Excluding specific types of publications	104	Limit 103 to (addresses or autobiography or bibliography or biography or clinical conference or congresses or dataset or dictionary or directory or lectures or news or newspaper article or patient education handout or periodical index or personal narratives or portraits or video-audio media or webcasts)	6	
	105	103 not 104	2357	

Search annotation based on recommendations from: [72]

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

References

Papers of particular interest, published recently, have been highlighted as:

- Of importance

1. Goodman N, Dornbusch SM, Richardson SA, Hastorf AH. Variant reactions of physical disabilities. *Am Sociol Rev.* 1963;28:429–35. <https://doi.org/10.2307/2090353>.
2. Puhl RM, Latner JD. Stigma, obesity, and the health of the nation's children. *Psychol Bull.* 2007;133:557–80. <https://doi.org/10.1037/0033-2909.133.4.557>.
3. Richardson SA, Goodman N, Hastorf AH, Dornbusch SM. Cultural uniformity in reaction to physical disabilities. *Am Sociol Rev.* 1961;26:241–7. <https://doi.org/10.2307/2089861>.
4. Bromfield PV. Childhood obesity: psychosocial outcomes and the role of weight bias and stigma. *Educ Psychol Pract.* 2009;25:193–209. <https://doi.org/10.1080/02667360903151759>.
5. Puhl RM, Latner JD, O'Brien K, Luedicke J, Forhan M, Danielsdotir S. Cross-national perspectives about weight-based bullying in youth: nature, extent and remedies. *Pediatr Obes.* 2016;11:241–50.
6. Shetgiri R. Bullying and victimization among children. *Adv Pediatr Infect Dis.* 2013;60:33–51. <https://doi.org/10.1016/j.yapd.2013.04.004>.
7. Puhl RM, Luedicke J, Heuer C. Weight-based victimization toward overweight adolescents: observations and reactions of peers. *J Sch Health.* 2011;81:696–703. <https://doi.org/10.1111/j.1746-1561.2011.00646.x>.
8. Puhl RM, Luedicke J. Weight-based victimization among adolescents in the school setting: emotional reactions and coping behaviors. *J Youth Adolesc.* 2012;41:27–40. <https://doi.org/10.1007/s10964-011-9713-z>.
9. Fox CL, Farrow CV. Global and physical self-esteem and body dissatisfaction as mediators of the relationship between weight status and being a victim of bullying. *J Adolesc.* 2009;32:1287–301. <https://doi.org/10.1016/j.adolescence.2008.12.006>.
10. Neumark-Sztainer D, Falkner N, Story M, Perry C, Hannan PJ, Mulert S. Weight-teasing among adolescents: correlations with weight status and disordered eating behaviors. *Int J Obes Relat Metab Disord.* 2002;26:123–31. <https://doi.org/10.1038/sj.ijo.0801853>.
11. Latner JD, Stunkard AJ. Getting worse: the stigmatization of obese children. *Obes Res.* 2003;11:452–6. <https://doi.org/10.1038/oby.2003.61>.
12. Russell-Mayhew S, Grace A. A call for social justice and best practices for the integrated prevention of eating disorders and obesity. *Eat Disord.* 2015;24:54–62. <https://doi.org/10.1080/10640266.2015.1113829>.
13. Lumeng J, Forrest P, Appugliese D, Kaciroti N, Corwyn R, Bradley R. Weight status as a predictor of being bullied in third through sixth grades. *Pediatrics.* 2010;125:E1301–7. <https://doi.org/10.1542/peds.2009-0774>.
14. Burmeister JM, Kiefner AE, Carels RA, Musher-Eizenman DR. Weight bias in graduate school admissions. *Obesity.* 2013;21:918–20. <https://doi.org/10.1002/oby.20171>.
15. Pont SJ, Puhl R, Cook SR, Slusser W, Section on Obesity, the Obesity Society. Stigma experienced by children and adolescents with obesity. *Pediatrics.* 2017;140(6):e20173034.
16. Bauer KW, Yang YW, Austin SB. “How can we stay healthy when you're throwing all of this in front of us?” Findings from focus groups and interviews in middle schools on environmental influences on nutrition and physical activity. *Health Educ Behav.* 2004;31(1):34–46.
17. Christensen S. Weight bias and stigma in children. *J Pediatr Surg.* 2018;7:72–4. <https://doi.org/10.1097/JPS.0000000000000178>.
18. Gray WN, Kahan NA, Janicke DM. Peer victimization and pediatric obesity: a review of the literature. *Psychol Sch.* 2009;46:720–7. <https://doi.org/10.1002/pits.20410>.
19. Li W, Rukavina P. A review on coping mechanisms against obesity bias in physical activity/education settings. *Obes Rev.* 2009;10:87–95. <https://doi.org/10.1111/j.1467-789X.2008.00528.x>.
20. Martin A, Booth JN, McGeown S, Niven A, Sproule J, Saunders DH, et al. Longitudinal associations between childhood obesity and academic achievement: systematic review with focus group data. *Curr Obes Rep.* 2017;6:297–313. <https://doi.org/10.1007/s13679-017-0272-9>.
21. Higgins JPT, Green S. *Cochrane handbook for systematic reviews of interventions* Version 5.1.0 (updated March 2011). The Cochrane Collaboration; 2011. Available from <http://handbook.cochrane.org>.
22. Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Ann Intern Med.* 2009;151:264–9. <https://doi.org/10.1371/journal.pmed1000097>.
23. Alberga AS, Pickering B, Hayden A, Ball G, Edwards A, Jelinski S, et al. Weight bias reduction in health professionals: a systematic review. *Clin Obes.* 2016;6:175–88. <https://doi.org/10.1111/cob.12147>.
24. Puhl RM, Brownell KD. Bias, discrimination, and obesity. *Obes Res.* 2001;9:788–805. <https://doi.org/10.1038/oby.2001.108>.
25. Puhl RM, Heuer CA. The stigma of obesity: a review and update. *Obesity.* 2009;17:941–64. <https://doi.org/10.1038/oby.2008.636>.
26. Bacchini D, Licenziati MR, Garrasi A, Corciulo N, Driul D, Tanas R, et al. Bullying and victimization in overweight and obese outpatient children and adolescents: an Italian multicentric study. *PLoS One.* 2015;10:1–13. <https://doi.org/10.1371/journal.pone.0142715>.
27. Crosnoe R, Frank K, Mueller A. Gender, body size and social relations in American high schools. *Soc Forces.* 2008;86:1189–216. <https://doi.org/10.1353/sof.0.0004>.
28. Cunningham SA, Vaquera E, Long JL. Race, ethnicity, and the relevance of obesity for social integration. *Ethn Dis.* 2012;22:317–23.
29. Kahle L, Peguero AA. Bodies and bullying: the interaction of gender, race, ethnicity, weight, and inequality with school victimization. *Vict Offenders.* 2017;12:323–45. <https://doi.org/10.1080/15564886.2015.111755>.
30. Puhl RM, Peterson JL, Luedicke J. Weight-based victimization: bullying experiences of weight loss treatment-seeking youth. *Pediatrics.* 2013;131:e1–9. <https://doi.org/10.1542/peds.2012-1106>.
31. Zeller MH, Reiter-Purtill J, Ramey C. Negative peer perceptions of obese children in the classroom environment. *Obesity.* 2008;16:755–62. <https://doi.org/10.1038/oby.2008.4>.
32. Lampard A, MacLehose M, Eisenberg R, Neumark-Sztainer F, Davison M. Weight-related teasing in the school environment: associations with psychosocial health and weight control practices among adolescent boys and girls. *J Youth Adolesc.* 2014;43:1770–80. <https://doi.org/10.1007/s10964-013-0086-3>.
33. Li W, Rukavina P. The nature, occurring contexts, and psychological implications of weight-related teasing in urban physical education programs. *Res Q Exerc Sport.* 2012;83:308–17. <https://doi.org/10.1080/02701367.2012.10599862>.
34. Li W, Rukavina P, Wright P. Coping against weight-related teasing among adolescents perceived to be overweight or obese in urban

- physical education. *J Teach Phys Educ.* 2012;31:182–99. <https://doi.org/10.1123/jtpe.31.182>.
35. Phelan SM, Burgess DJ, Puhl R, Dyrbye LN, Dovidio JF, Yeazel M, et al. The adverse effect of weight stigma on the well-being of medical students with overweight or obesity: findings from a national survey. *J Gen Intern Med.* 2015;30:1251–8. <https://doi.org/10.1007/s11606-015-3266-x>. **One of the few studies to investigate the educational experience of individuals with obesity at a postsecondary level.**
 36. Haines J, Neumark-Sztainer D, Thiel L. Addressing weight-related issues in an elementary school: what do students, parents, and school staff recommend? *Eat Disord.* 2007;15:5–21. <https://doi.org/10.1080/10640260601044428>.
 37. Puhl RM, Peterson JL, Luedicke J. Strategies to address weight-based victimization: youths' preferred support interventions from classmates, teachers, and parents. *J Youth Adolesc.* 2013;42:315–27. <https://doi.org/10.1007/s10964-012-9849-5>.
 38. Wiltshire G, Lee J, Evans J. "You don't want to stand out as the bigger one": exploring how PE and school sport participation is influenced by pupils and their peers. *Phys Educ Sport Pedagog.* 2017;22:548–61. <https://doi.org/10.1080/17408989.2017.1294673>.
 39. Sykes H, McPhail D. Unbearable lessons: contesting fat phobia in physical education. *Sociol Sport J.* 2008;25:66–96. <https://doi.org/10.1123/ssj.25.1.66>.
 40. Haines J, Neumark-Sztainer D, Perry CL, Hannan PJ, Levine MP. VIK (very important kids): a school-based program designed to reduce teasing and unhealthy weight-control behaviors. *Health Educ Res.* 2006;21:884–95. <https://doi.org/10.1093/her/cyl123>.
 41. Fontana FE, Furtado O, Marston R, Mazzardo O, Gallagher J. Anti-fat bias among physical education teachers and majors. *Phys Educ.* 2013;70:15–31. <https://doi.org/10.1177/1356336X16643304>.
 42. Fontana F, Furtado O Jr, Mazzardo O Jr, Hong D, de Campos W. Anti-fat bias by professors teaching physical education majors. *Eur Phys Educ Rev.* 2017;23:127–38. <https://doi.org/10.1177/1356336X16643304>.
 43. Greenleaf C, Weiller K. Perceptions of youth obesity among physical educators. *Soc Psychol Educ.* 2005;8:407–23. <https://doi.org/10.1007/s11218-005-0662-9>.
 44. Kenney EL, Gortmaker SL, Davison KK, Austin SB. The academic penalty for gaining weight: a longitudinal, change-in-change analysis of BMI and perceived academic ability in middle school students. *Int J of Obes.* 2015;39:1408–13. <https://doi.org/10.1038/ijo.2015.88>. **One of the few longitudinal research studies examining weight bias in education.**
 45. Kenney EL, Redman MT, Criss S, Sonnevile KR, Austin SB. Are K-12 school environments harming students with obesity? A qualitative study of classroom teachers. *Eat Weight Disord.* 2017;22:141–52. <https://doi.org/10.1007/s40519-016-0268-6>.
 46. Lau PWC, Leung BWC, Pitkethly AJ, Ransdell L. Do physical education teachers and general teachers differ in their implicit anti-fat bias? *Int J Phys Educ.* 2018;1:27–38.
 47. Martínez-López EJ, Grao-Cruces A, Zamora-Aguilera N, De la Torre-Cruz MJ. The association between Spanish physical education teachers' self-efficacy expectations and their attitudes toward overweight and obese students. *J Teach Phys Educ.* 2017;36:220–31. <https://doi.org/10.1123/jtpe.2014-0125>.
 48. Peterson JL, Puhl RM, Luedicke J. An experimental assessment of physical educators' expectations and attitudes: the importance of student weight and gender. *J Sch Health.* 2012;82:432–40. <https://doi.org/10.1111/j.1746-1561.2012.00719.x>.
 49. Puhl RM, Neumark-Sztainer D, Bryn Austin S, Suh Y, Wakefield DB. Policy actions to address weight-based bullying and eating disorders in schools: views of teachers and school administrators. *J Sch Health.* 2016;86:507–15. <https://doi.org/10.1111/josh.12401>.
 50. Shackleton NL, Campbell T. Are teachers' judgements of pupils' ability influenced by body shape? *Int J Obes.* 2014;38:520–4. <https://doi.org/10.1038/ijo.2013.210>.
 51. Wilson SM, Smith AW, Wildman BG. Teachers' perceptions of youth with obesity in the classroom. *Adv School Ment Health Promot.* 2015;8:231–43. <https://doi.org/10.1080/1754730X.2015.1074054>.
 52. Doolittle SA, Rukavina PB, Li W, Manson M, Beale A. Middle school physical education teachers' perspectives on overweight students. *J Teach Phys Educ.* 2016;35:127–37. <https://doi.org/10.1123/jtpe.2014-0178>.
 53. Peterson JL, Puhl RM, Luedicke J. An experimental investigation of physical education teachers' and coaches' reactions to weight-based victimization in youth. *Psychol Sport Exerc.* 2012;13:177–85. <https://doi.org/10.1016/j.psychsport.2011.10.009>.
 54. Hague AL, White AA. Web-based intervention for changing attitudes of obesity among current and future teachers. *J Nutr Educ Behav.* 2005;37:58–66. [https://doi.org/10.1016/S1499-4046\(06\)60017-1](https://doi.org/10.1016/S1499-4046(06)60017-1).
 55. McVey G, Gusella J, Tweed S, Ferrari M. A controlled evaluation of web-based training for teachers and public health practitioners on the prevention of eating disorders. *Eat Disord.* 2009;17:1–26. <https://doi.org/10.1080/10640260802570064>.
 56. Glock S, Beverborg AOG, Müller BCN. Pre-service teachers' implicit and explicit attitudes toward obesity influence their judgments of students. *Soc Psychol Educ.* 2016;19:97–115. <https://doi.org/10.1007/s11218-015-9315-9>.
 57. Greenleaf C, Martin SB, Rhea D. Fighting fat: how do fat stereotypes influence beliefs about physical education? *Obesity.* 2008;16:S53–9. <https://doi.org/10.1038/oby.2008.454>.
 58. Lynagh M, Cliff K, Morgan PJ. Attitudes and beliefs of nonspecialist and specialist trainee health and physical education teachers toward obese children: evidence for "anti-fat" bias. *J Sch Health.* 2015;85:595–603. <https://doi.org/10.1111/josh.12287>.
 59. Müller BCN, Beverborg AOG, Glock S. Pre-service teachers' academic judgments of overweight students. *Soc Psychol Educ.* 2017;20:897–913. <https://doi.org/10.1007/s11218-017-9400-3>.
 60. O'Brien KS, Hunter JA, Banks M. Implicit anti-fat bias in physical educators: physical attributes, ideology and socialization. *Int J Obes.* 2007;31:308–14. <https://doi.org/10.1038/sj.ijo.0803398>.
 61. Raddy T, Wallhead TL. Manifestation of anti-fat bias in preservice physical education teachers. *Phys Educ.* 2016;73:450–70. <https://doi.org/10.18666/TPE-2016-V73-13-5954>.
 62. Tkachuk M, Russell-Mayhew S. Health and weight beliefs and behaviours of pre-service teachers: considerations and implications for a health promotion perspective. *Alberta J Educ Res.* 2017;63:286–303.
 63. Varea V, Underwood M. 'You are just an idiot for not doing any physical activity right now': pre-service health and physical education teachers' constructions of fatness. *Eur Phys Educ Rev.* 2016;22:465–78. <https://doi.org/10.1177/1356336X15617446>.
 64. Russell-Mayhew S, Nutter S, Ireland A, Gabriele T, Bardick A, Crooks J, et al. Pilot testing a professional development model for preservice teachers in the area of health and weight: feasibility, utility, and efficacy. *Adv School Ment Health Promot.* 2015;8:176–86. <https://doi.org/10.1080/1754730X.2015.1040040>.
 65. Tingstrom CA, Nagel E. The impact of an obesity awareness intervention on anti-fat attitudes and expectations of preservice physical educators. *Action Teach Educ.* 2017;39:54–66. <https://doi.org/10.1080/01626620.2016.1245634>.
 66. Russell-Mayhew S, Ireland A, Peat G. The impact of professional development about weight-related issues for pre-service teachers: a pilot study. *Alberta J Educ Res.* 2012;58:314–29.

67. Thompson HR, Madsen KA. The report card on BMI report cards. *Curr Obes Rep*. 2017;6:163–7. <https://doi.org/10.1007/s13679-017-0259-6>.
68. Lee HY, Lee EL, Pathy P, Chan YH. Anorexia nervosa in Singapore: an eight-year retrospective study. *Singap Med J*. 2005;46:275–81.
69. Russell-Mayhew S, Ireland A, Murray K, Alberga AS, Nutter S, Gabriele T, et al. Reflecting and informing a culture of wellness: the development of a comprehensive school health course in a bachelor of education program. *J Educ Thought*. 2017;50:156–81.
70. Breithaupt L, Eickman L, Byrne CE, Fischer S. Enhancing empowerment in eating disorder prevention: another examination of the REbeL peer education model. *Eat Behav*. 2017;25:38–41. <https://doi.org/10.1016/j.eatbeh.2016.05.003>.
71. Nutter S, Russell-Mayhew S, Arthur N, Ellard JH. Weight bias as a social justice issue: a call for dialogue. *Can Psychol*. 2018;59:89–99. <https://doi.org/10.1037/cap0000125>.
72. Cooper C, Dawson S, Peters J, Varley-Campbell J, Cockcroft E, Hendon J, et al. Revisiting the need for a literature search narrative: A brief methodological note. *Res Synth Methods*. 2018;9(3):361–36.